


4320

CT BA 2000 UN A00

2000 ml Packo



*For tolerances see next page

Product part	Product code	Description
Container	4320-60-004	2000ml Packo
Lid	4355-70-402	Screw lid
Inner seal	4365-00-000	Inner seal

Capacity	ml	floz
Brimful	2100	71
When closed	2000	67.6

Raw material	
Container	HDPE
Lid	HDPE
Inner seal	MDPE

Weight	Grams	Ounces
Container	127	4.48
1C Lid	39.6	1.4
Inner seal	13.6	0.48
Total	180.2	6.36

Colours	Colour code	PMS references
Container & Lid	White 004	n/a
Lid	Red 402	Red 199 C
	Yellow 205	Yellow 108C
	Grey 135	Cool Gray 7 C
	Red 480	Red 7645 C
	Green 505	Green 378 C
	Blue 605	Blue 300 C
	Black 101	Black C

Hazmat information	
Hazmat type	Solids
Packaging group	I – II – III
UN marking	1H2/X2.6/S/--/B/CURTEC-080062
Maximum gross mass (kg)	X=2.6 Y=3.9 Z=5.9

Product identification	Container	Lid
Manufacturer ID	Bottom	--
Country of origin	Bottom	--
Product code	Bottom	--
Recycle logo / Material type	Bottom	Inside
Date clock	Bottom	Inside
UN-mark	Bottom	--
Food logo	Bottom	-
Material track clock	Bottom	--


Other information
Packo consists of a container with a transparent insert and a lid with tear-off tamper evident seal
Open and close with just a quarter-turn
Other colours and versions are available on request
Maximum filling temperature is 70°C/ 158°F
Contents must have cooled to 30°C/ 86°F before containers can be closed and stacked
DoC available on request
UN certificate available on request
MVTR declaration available on request
User manual available on request

Dimensional tolerance (mm) according to DIN16742-TG7																
Over	1	>3	>6	>10	>18	>30	>50	>80	>120	>180	>250	>315	>400	>500	>630	>800
up to	3	6	10	18	30	50	80	120	180	250	315	400	500	630	800	1000
NW (±)	0.20	0.29	0.35	0.42	0.50	0.60	0.90	1.25	1.45	1.60	1.80	2.60	3.50	4.00	4.50	5.00

Weight tolerance
All products have a weight tolerance of ±4% of the initial weight mentioned on this data sheet

© 2016 Property of CurTec International B.V. All rights explicitly reserved, it is not allowed to copy or communicate to other parties without written consent of CurTec.

Palletisation containers		
Qty per pallet	630	
No. of layers	9	
Qty per layer	70	
Mass [kg lbs]	99.2	218.7
Lenght [mm inch]	1000	40
Width [mm inch]	1200	48
Height [mm inch]	1988	78.3



Palletisation lids			Palletisation inner seals		
Qty per box	140		Qty per box	490	
Mass [kg lbs]	6.5	14.3	Mass [kg lbs]	7.8	17.2
Lenght [mm inch]	600	24	Lenght [mm inch]	600	24
Width [mm inch]	400	16	Width [mm inch]	400	16
Height [mm inch]	400	16	Height [mm inch]	400	16
No. of boxes per layer	5		No. of boxes per layer	5	
No. of layers	5		No. of layers	5	
No. of boxes per pallet	25		No. of boxes per pallet	25	
Qty per pallet	3500		Qty per pallet	12250	
Mass [kg lbs]	175	385.8	Mass [kg lbs]	207	456.4
Lenght [mm inch]	1000	40	Lenght [mm inch]	1000	40
Width [mm inch]	1200	48	Width [mm inch]	1200	48
Height [mm inch]	2130	83.9	Height [mm inch]	2130	83.9