

7015

CT FP 015W UN A00

15 litre Wide neck drum



For dimensional tolerances see table on next page

Product part	Product code	Description	Materials
Drum	7015B00-004	15 litre wide neck drum	HDPE
Lid	A7026-13-402	Screw lid	HDPE
Gasket	H14	Sealing gasket	Rubber

Capacity	Litres	Gallons
Brimful	15.3	4
When closed	15	3.9

Weight	Grams	Ounces
Drum	700	24.69
Lid	258	9.10
Gasket	15	0.53
Total	973	34.32


Colours	Colour code	PMS references
Container	White 004	/
Lid	Red 402	199 C

Hazardous material information

Hazardous material type	Solids
Packaging group	I – II – III
UN marking	UN/1H2/X22/S/--/NL/CURTEC 1299
Maximum gross mass (kg)	X=22

Product identification

1. Manufacturer ID
2. Country of origin
3. Product no.
4. Food grade
5. Material type
6. Date clock
7. UN mark

**Other information**

Maximum filling temperature is 70°C/ 158°F
 Contents must have cooled to 30°C/ 86°F before containers can be closed and stacked
 DoC available on request
 UN certificate available on request
 MVTR declaration available on request
 Other colours available on request
 User manual available on request

Wall thickness	mm
Minimal wall thickness	≥1.5
Nominal wall thickness	≥1.6

Dimensional tolerances	%
Height	±2.5
Diameter	±1.5

Weight tolerance

All products have a tolerance of ±4% on the initial weight mentioned on this data sheet

© 2015 Property of CurTec International B.V. All rights explicitly reserved, it is not allowed to copy or communicate to other parties without written consent of CurTec.

7015

15 litre Wide neck drum

Palletisation		
Qty per pallet	96	
No. of layers	6	
Qty per layer	16	
Mass [kg lbs]	105	231.5
Lenght [mm inch]	1000	39.4
Width [mm inch]	1232	48.5
Height [mm inch]	2055	80.9

